



# Centaurus Basic PDU 8 x 15A NEMA 5-15R Receptacle, with 15A CB and 6ft Power Cord with NEMA 5-15P Plug



## Applicable Standards

UL Rating : 60950-1

## Product Part Number

N51.081501A06

## Product Description

Centaurus 8 x 15A NEMA 5-15R Basic PDU offers reliable and flexible power management for IT environments. It comes with a built-in 15A circuit breaker. It is UL/cUL approved. The PDU supports both 19" horizontal and vertical installations, with customizable power cord lengths for added convenience. The front-facing LED allows for easy status monitoring, while the rear outlets ensure efficient power distribution to servers, data centers, and other IT equipment. Equipped with a NEMA 5-15P input plug and a 6-foot cord, it delivers seamless connectivity to a power source, UPS, or generator.

## Product Features

- 19" Rack mountable; 1RU, easy to install.
- Supports horizontal, vertical, under-counter, and wall-mount installations, featuring a reversible design for added flexibility.
- Comes with horizontal brackets for mounting, along with a screw kit and user manual.
- The front-mounted LED makes it easy to monitor PDU status and activate the circuit breaker when necessary
- Rear outlets provide efficient power delivery to IT equipment, including servers, data centers, and hosting infrastructure.





# Centaurus Basic PDU 8 x 15A NEMA 5-15R Receptacle, with 15A CB and 6ft Power Cord with NEMA 5-15P Plug

## Material Specifications

Power Rating	15A (Derated to 12A), 120VAC
AC Outlet Receptacle (NEMA 5-15R)	Front: 0   Rear: 8
Circuit Breaker	Yes   15A
Surge Protection	N/A
Indicator : Power Red	Yes
Power Cord	SJT, 14AWG x 3C   6ft
Plug Type	NEMA 5-15P
AC Rating Volts	120Vac
AC Rating Amps	12Amp
AC Rating Watts	1440W @ 120Vac
AC Rating Frequency	50/60 Hz
Shell Color	Black

## Environmental Specifications

Operating Temperature Range	0°C to 40°C
Storage Temperature Range	0°C to 40°C

## Ordering Information

N51.081501A06	Centaurus Basic PDU, 8 x 15A NEMA 5-15R Receptacle (Front 0; Rear 8), with Circuit Breaker (15Amp) and Power Cord SJT 14AWG/3C, 6ft with NEMA 5-15P Plug
---------------	----------------------------------------------------------------------------------------------------------------------------------------------------------





## Centaurus Basic PDU 8 x 15A NEMA 5-15R Receptacle, with 15A CB and 6ft Power Cord with NEMA 5-15P Plug

### Shipping Information

---

Item	Dimension
Product	Width : 482.6 mm Height : 44.2 mm Depth : 88.9 mm

---

