



Rapid Termination E-Tool for AstroWave CAT5e, CAT6, CAT6A Keystone Jacks



Product Part Number

N711.ET00L


Product Description

The Rapid Termination E-Tool is designed to enhance efficiency and precision in field installations of AstroWave CAT5e, CAT6, and CAT6A keystone jacks. With its ergonomic design and replaceable cutting blades, it reduces termination force and increases speed, making it ideal for professional installers handling high-volume projects.


Product Features

- **Up to 70% Faster Terminations** : Significantly reduces installation time with its innovative design.
- **Reduced Termination Force** : Requires 70% less effort compared to traditional tools, reducing hand fatigue.
- **Compatibility** : Works seamlessly with AstroWave Unshielded CAT5e, CAT6, and CAT6A Keystone Jacks, including 90-degree modules.
- **Replaceable Cutting Blades** : Ensures long-lasting performance and easy maintenance.
- **High Durability** : Supports more than 1200 terminations, making it ideal for large-scale projects.
- **Field-Friendly Design** : Compact and ergonomic for convenient use in field installations.

Step-by-Step Guide to Using the Rapid Termination E-Tool for Keystone Jacks



1. Strip the Cable: Remove at least 1.2 inches of the outer jacket from the cable to expose the wires.



2. Position the Wires: Insert the wires into the designated terminals until they are securely fixed in place.



3. Load the Jack: Align the keystone jack with the E-Tool and insert it, following the built-in guide for accurate placement.



4. Ambidextrous Design: The tool is ergonomically designed for both right- and left-handed users, ensuring ease of use for all.



5. Secure the Jack: Confirm that the keystone jack is properly positioned on the Rapid Termination E-Tool.



6. Terminate and Trim: Firmly squeeze the handles of the tool to terminate the jack and simultaneously trim any excess wire.



7. Attach the Cap: Place the cap onto the terminated jack and press it down to ensure it is fully seated.



8. Completion: The termination process is now complete, and the jack is ready for use.



Rapid Termination E-Tool for AstroWave CAT5e, CAT6, CAT6A Keystone Jacks

Material Specifications

Keystone Jack Compatibility	AstroWave Unshielded Keystone Jacks
Compatible Cable Types	CAT5e, CAT6, CAT6A
Termination Speed	Up to 70% faster
Force Reduction	70% less effort required
Module Compatibility	90-degree module support
Blade Design	Replaceable cutting blades
Durability	Over 1200 terminations

Environmental Specifications

Operating Temperature Range	- 20°C to 60°C
Storage Temperature Range	- 20°C to 60°C

Ordering Information

N711.ET00L	Rapid Termination E-Tool for AstroWave CAT5e, CAT6, CAT6A Keystone Jacks
------------	--------------------------------------------------------------------------

Previous Part Number : N071.ET00L

Shipping Information

Item	Dimension
Product	L : 174mm W : 33mm H : 121.6mm