



Pulsar Audio Cable, 12AWG, 2C, 65 Strands, PVC Jacket



Product Part Number

N82.122DPV5x(P)

Product Description

The **Pulsar Audio Cable, 12AWG, 2C, 65 Strands, PVC Jacket** is a reliable and high-quality cable designed for professional audio systems. With 65 finely stranded conductors and a durable PVC jacket, it ensures optimal signal transmission, flexibility, and long-term performance for indoor applications.

Product Features

- **High Conductivity** : 65 finely stranded 12AWG conductors ensure superior signal transmission with minimal resistance.
- **Flexibility** : Stranded construction allows for easy handling and smooth installation in tight spaces.
- **Enhanced Signal Integrity** : Designed to minimize signal loss and interference for clear, high-quality audio.
- **Durable PVC Jacket** : Provides robust protection against wear, moisture, and environmental factors for long-lasting performance.
- **Versatile Application** : Suitable for professional audio systems, speakers, amplifiers, and other low-voltage applications.





Pulsar Audio Cable, 12AWG, 2C, 65 Strands, PVC Jacket

Material Specifications

Conductor	Material	BC (Bare Copper)
	Conductor Construction (mm)	2C x12AWG 65 Strands
Insulation	Material	PVC
	Diameter (mm)	3.2 ± 0.1
	Average Thickness (mm)	0.40
	Color	Black, Red
Rip-cord	Yes	
Jacket	Material	PVC
	Diameter (mm)	7.7 ± 0.5
	Average Thickness (mm)	0.65
	Color	White/Black
Electrical & Physical Characteristics:	Conductor DCR 20°C	≤5.41 Ω/KM
	Max. Operating Voltage	300V RMS

Environmental Specifications

Temperature range	Storage & shipping	-20°C to 70°C
	Installation	0°C to 60°C
	Operation	-20°C to 70°C

Ordering Information

N82.122DPV5B(P)	Pulsar Audio Cable, 12AWG, 2 Conductor, Stranded (65 Strands), PVC Jacket, 500ft, Pull Box, Black
N82.122DPV5W(P)	Pulsar Audio Cable, 12AWG, 2 Conductor, Stranded (65 Strands), PVC Jacket, 500ft, Pull Box, White





Pulsar Audio Cable, 12AWG, 2C, 65 Strands, PVC Jacket

Shipping Information

Item	Dimension
Product	Length : 500ft

