




Pulsar Audio Cable, 12AWG, 4C, 65 Strands, UV Rated, PVC Jacket



Product Part Number

N82.124DUPV5B(R)

Product Description

The **Pulsar Audio Cable, 12AWG, 4C, 65 Strands, UV Rated, PVC Jacket** is a reliable cable built for both indoor and outdoor audio applications. Its UV-rated PVC jacket provides protection against sunlight and mild environmental exposure, making it suitable for versatile installations.

Product Features

- **UV-Rated PVC Jacket** : Protects the cable from sunlight and environmental wear, ensuring longevity in outdoor and semi-exposed installations.
- **High-Quality Conductors** : Four 12AWG conductors with 65 strands each deliver excellent signal integrity and low resistance.
- **Durability** : The PVC jacket ensures resistance to abrasions and wear, enhancing the cable's durability.
- **Flexible Construction** : Stranded conductor design makes the cable easy to handle and install, even in tight or complex spaces.
- **Versatile Application** : Ideal for speaker connections, audio installations, and low-voltage systems, indoors or outdoors.





Pulsar Audio Cable, 12AWG, 4C, 65 Strands, UV Rated, PVC Jacket

Material Specifications

Conductor	Material	BC (Bare Copper)
	Conductor Construction (mm)	4C x12AWG 65 Strands
Insulation	Material	PVC
	Diameter (mm)	3.20 ± 0.1
	Average Thickness (mm)	0.40
	Color	Black, Red, White, Green
Rip-cord	Yes	
Jacket	Material	PVC (UV)
	Diameter (mm)	9.10 ± 0.5
	Average Thickness (mm)	0.65
	Color	Black
Electrical & Physical Characteristics:	Conductor DCR 20°C	≤5.41 Ω/KM
	Max. Operating Voltage	300V RMS

Environmental Specifications

Temperature range	Storage & shipping	-20°C to 70°C
	Installation	0°C to 60°C
	Operation	-20°C to 70°C

Ordering Information

N82.124DUPV5B(R)	Pulsar Audio Cable, 12 AWG, 4 Conductor, Stranded (65 Strands), UV Rated, PVC Jacket, 500ft, Reel, Black
------------------	--





Pulsar Audio Cable, 12AWG, 4C, 65 Strands, UV Rated, PVC Jacket

Shipping Information

Item	Dimension
Product	Length : 500ft

