



Pulsar Audio Cable, 18AWG, 2C, 16 Strands, UV Rated, Direct Burial, PVC Jacket



Product Part Number

N82.182BUDBPV5B(P)

Product Description

The **Pulsar Audio Cable, 18AWG, 2C, UV Rated, Direct Burial, PVC Jacket** is engineered for outdoor and underground audio applications. Featuring 16 strands of high-quality copper and a UV-rated PVC jacket, this cable ensures reliable performance in harsh environments. Its robust construction makes it ideal for long-lasting installations, even when exposed to sunlight and moisture.

Product Features

- **Durable Conductors** : 16 strands of pure copper for consistent audio quality.
- **Dual-Conductor Design** : 2C configuration for clear and reliable signal transmission.
- **UV-Rated PVC Jacket** : Protects against sunlight and weathering for outdoor use.
- **Direct Burial Rated** : Built to withstand underground conditions without additional conduit.
- **Versatile Applications** : Perfect for outdoor speakers, intercoms, and other external audio systems.





Pulsar Audio Cable, 18AWG, 2C, 16 Strands, UV Rated, Direct Burial, PVC Jacket

Material Specifications

Conductor	Material	BC (Bare Copper)
	Conductor Construction (mm)	2C x18AWG 16 Strands
Insulation	Material	PVC
	Diameter (mm)	1.75 ± 0.1
	Average Thickness (mm)	0.27
	Color	Black, Red
Tape	Material	Water-Blocking Tape
Rip-cord	Yes	
Jacket	Material	PVC (UV Resistant)
	Diameter (mm)	4.70 ± 0.3
	Average Thickness (mm)	0.50
	Color	Black
Electrical & Physical Characteristics:	Conductor DCR 20°C	≤21.9 Ω/KM
	Max. Operating Voltage	300V RMS

Environmental Specifications

Temperature range	Storage & shipping	-20°C to 75°C
	Installation	-5°C to 60°C
	Operation	-20°C to 75°C

Ordering Information

N82.182BUDBPV5B(P)	Pulsar Audio Cable, 18AWG, 2 Conductor, Stranded (16 Strands), UV Rated, Direct Burial, PVC Jacket, 500ft, Pull Box, Black
--------------------	--





Pulsar Audio Cable, 18AWG, 2C, 16 Strands, UV Rated, Direct Burial, PVC Jacket

Shipping Information

Item	Dimension
Product	Length : 500ft

